

ARCHITECTURAL WINDOWS

WCHR Half round for casement

R.O. (mm)	21" (533)	25" (635)	29" (737)	33" (838)	37" (940)
F.S. (mm)	20" (508)	24" (610)	28" (711)	32" (813)	36" (914)
V.G. (mm)	15 1/2" (393)	19 5/8" (497)	23 5/8" (601)	27 3/4" (703)	31 3/4" (806)
Aligns with	14XX-WC11	18XX-WC11	22XX-WC11	26XX-WC11	30XX-WC11
10 1/2" (267)		12 1/2" (318)	14 1/2" (368)	16 1/2" (419)	18 1/2" (470)
10" (254)		12" (305)	14" (356)	16" (406)	18" (457)
6" (152)		5" (203)	10" (254)	12" (305)	14" (355)
	1608	2010	2412	2814	3216

R.O. (mm)	39 3/4" (1010)	47 3/4" (1213)	55 3/4" (1416)	63 3/4" (1619)
F.S. (mm)	38 3/4" (984)	46 3/4" (1187)	54 3/4" (1390)	62 3/4" (1594)
V.G. (mm)	34 1/2" (876)	42 1/2" (1081)	50 5/8" (1284)	58 5/8" (1488)
Aligns with	14XX-WC21	18XX-WC21	22XX-WC21	26XX-WC21
19 7/8" (505)		23 7/8" (606)	27 7/8" (708)	31 7/8" (810)
19 3/8" (492)		23 3/8" (594)	27 3/8" (695)	31 3/8" (797)
15 3/8" (390)		19 3/8" (492)	23 3/8" (593)	27 3/8" (695)
	3618	4422	5226	6030

R.O. (mm)	58 1/2" (1486)	70 1/2" (1791)	82 1/2" (2096)
F.S. (mm)	57 1/2" (1460)	69 1/2" (1765)	81 1/2" (2070)
V.G. (mm)	53 3/8" (1354)	65 3/8" (1660)	77 3/8" (1965)
Aligns with	14XX-WC31	18XX-WC31	22XX-WC31
29 1/4" (743)		35 1/4" (895)	41 1/4" (1048)
28 3/4" (730)		34 3/4" (882)	40 3/4" (1035)
24 3/4" (628)		30 3/4" (780)	36 3/4" (933)
	5427	6633	7839
R.O. (mm)	R.O.: Rough Opening		
F.S. (mm)	F.S.: Frame Size		
V.G. (mm)	V.G.: Visible Glass		

WFHR Half round for french door

R.O. (mm)	33 5/8" (854)	35 5/8" (905)	37 5/8" (956)	39 5/8" (1006)
F.S. (mm)	32 5/8" (829)	34 5/8" (879)	36 5/8" (930)	38 5/8" (981)
V.G. (mm)	28 3/8" (719)	30 3/8" (771)	32 3/8" (822)	34 3/8" (873)
Aligns with	30XX-WF11	32XX-WF11	34XX-WF11	36XX-WF11
16 3/4" (425)		17 3/4" (451)	18 3/4" (476)	19 3/4" (501)
16 1/4" (414)		17 1/4" (438)	18 1/4" (465)	19 1/4" (492)
12 1/4" (312)		13 1/4" (338)	14 1/4" (363)	15 1/4" (388)
	3115	3316	3517	3718
R.O. (mm)	R.O.: Rough Opening			
F.S. (mm)	F.S.: Frame Size			
V.G. (mm)	V.G.: Visible Glass			

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

ARCHITECTURAL WINDOWS

WHHR Half round for double hung

R.O. (mm)	26 5⁄8" (676)			30 5⁄8" (778)			34 5⁄8" (879)			38 5⁄8" (981)			42 5⁄8" (1083)							
F.S. (mm)	25 5⁄8" (651)			29 5⁄8" (752)			33 5⁄8" (854)			37 5⁄8" (956)			41 5⁄8" (1057)							
V.G. (mm)	21 ¼" (539)			25 ¼" (642)			29 ¾" (745)			33 ¾" (848)			37 ¾" (950)							
Aligns with	20XX-WH11			24XX-WH11			28XX-WH11			32XX-WH11			36XX-WH11							
13 3⁄8" (340)		12 7⁄8" (325)	8 3⁄4" (223)	15 3⁄8" (391)	14 7⁄8" (376)	10 3⁄4" (274)		17 ¼" (438)	16 ¾" (427)	12 ¾" (325)		19 3⁄8" (492)	18 7⁄8" (478)	14 ¾" (376)		21 3⁄8" (543)	20 7⁄8" (529)	16 ¾" (427)		3819

R.O. (mm)			52 ¼" (1327)	60 ¼" (1530)			68 ¼" (1734)			76 ¼" (1937)					
F.S. (mm)			51 ¼" (1302)	59 ¼" (1505)			67 ¼" (1708)			75 ¼" (1911)					
V.G. (mm)			47 ⅞" (1195)	55 ⅞" (1399)			63 ⅞" (1603)			71 ⅞" (1806)					
Aligns with			20XX-WH21			24XX-WH21			28XX-WH21			32XX-WH21			
R.O. (mm)			26 ⅝" (664)				30 ⅜" (765)						34 ⅜" (867)		
F.S. (mm)			25 ⅝" (651)	4824			29 ⅝" (752)			5628			33 ⅝" (854)		
V.G. (mm)			21 ⅝" (549)				25 ⅝" (650)						29 ⅝" (752)		
												38 ⅜" (968)			
									6432			37 ⅝" (956)			
												33 ⅝" (854)			
															
												7236			

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

Half round Grille and SDL models

Code	3R	S3R	S1S2R	S1S3R	DS3R	S5R	DS5R	GO-10
Model								

WCGO Gothic for casement

R.O. (mm)	25" (635)	29" (737)	33" (838)
F.S. (mm)	24" (610)	28" (711)	32" (813)
V.G. (mm)	19 1/2" (495)	23 1/2" (597)	27 1/2" (699)
24 1/2" (622) 24" (610) 19 1/4" (489)	 2020	28 1/2" (622) 28" (711) 23 1/4" (591)	32 1/2" (826) 32" (813) 27 1/4" (692)

WHGO Gothic for double hung

R.O. (mm)	22 5/8" (575)	26 5/8" (676)	30 5/8" (778)
F.S. (mm)	21 5/8" (549)	25 5/8" (651)	29 5/8" (752)
V.G. (mm)	17 7/8" (435)	21 1/8" (537)	25 1/8" (639)
22 1/8" (562) 21 5/8" (549) 16 7/8" (428)	 1818	26 1/8" (664) 25 5/8" (651) 20 7/8" (530)	30 1/8" (765) 29 5/8" (752) 24 7/8" (632)

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

Gothic Grille and SDL models

Model	
Model	
Code	GO3 GO6

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

ARCHITECTURAL WINDOWS

WCEL Ellipse for casement

R.O. (mm)	39 3/4" (1010)	47 3/4" (1213)	55 3/4" (1416)	63 3/4" (1619)	58 1/2" (1486)	70 1/2" (1791)	82 1/2" (2096)
F.S. (mm)	38 3/4" (984)	46 3/4" (1187)	54 3/4" (1390)	62 3/4" (1594)	57 1/2" (1460)	69 1/2" (1765)	81 1/2" (2070)
V.G. (mm)	34 3/8" (873)	42 3/8" (1076)	50 1/4" (1278)	58 1/4" (1480)	53 3/8" (1349)	65 3/8" (1653)	77" (1957)
Aligns with	14XX-WC21	18XX-WC21	22XX-WC21	26XX-WC21	14XX-WC31	18XX-WC31	22XX-WC31
R.O. (mm)	16 1/2" (419)	16" (406)	12" (304)		18 1/2" (470)	18" (457)	14" (355)
							
	3612	4412	5212	6012		5414	6614
							7814
R.O.: Rough Opening F.S.: Frame Size V.G.: Visible Glass							

WHEL Ellipse for double hung

R.O. (mm)	52 1/4" (1327)	60 1/4" (1530)	68 1/4" (1734)	76 1/4" (1937)	77 7/8" (1978)	89 7/8" (2283)
F.S. (mm)	51 1/4" (1302)	59 1/4" (1505)	67 1/4" (1708)	75 1/4" (1911)	76 7/8" (1953)	88 7/8" (2257)
V.G. (mm)	46 7/8" (1190)	54 3/4" (1392)	62 3/4" (1594)	70 3/4" (1797)	72 1/2" (1840)	84 3/4" (2145)
Aligns with	20XX-WH21	24XX-WH21	28XX-WH21	32XX-WH21	20XX-WH31	24XX-WH31
R.O. (mm)	16 1/2" (419)	16" (406)	12" (304)		18 1/2" (470)	18" (457)
						
	4812	5612	6412	7212		7414
						8614
R.O.: Rough Opening F.S.: Frame Size V.G.: Visible Glass						

WFEL Ellipse for french door

R.O. (mm)	64 1/2" (1638)	68 1/2" (1740)	72 1/2" (1842)	76 1/2" (1943)
F.S. (mm)	63 1/2" (1613)	67 1/2" (1715)	71 1/2" (1816)	75 1/2" (1918)
V.G. (mm)	59 3/8" (1502)	63 3/8" (1603)	67 3/8" (1704)	71 3/8" (1806)
Aligns with	30XX-WF21	32XX-WF21	34XX-WF21	36XX-WF21
R.O. (mm)	18 1/2" (470)	18" (457)	14" (355)	
				
	6014	6414	6814	7214
R.O.: Rough Opening F.S.: Frame Size V.G.: Visible Glass				

Ellipse Grille and SDL models

Model	
3R	
OV3R	
5R	
OV5R	
Code	

SDEL Ellipse for entry system

R.O. (mm)	52 1/2" (1321)	54 1/2" (1384)	68 3/8" (1730)	70 3/8" (1781)
F.S. (mm)	51 1/2" (1308)	53 1/2" (1359)	67 3/8" (1705)	69 3/8" (1756)
V.G. (mm)	47 3/8" (1198)	49 3/8" (1249)	62 3/4" (1594)	64 3/4" (1644)
Aligns with	SD34+SL	SD36+SL	SD34+2SL	SD36+2SL
R.O. (mm)	18 1/2" (470)	18" (457)	14" (355)	
				
	4814	5014	6414	6614
R.O.: Rough Opening F.S.: Frame Size V.G.: Visible Glass				

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

ARCHITECTURAL WINDOWS

WPOC Octagon

R.O. (mm)	25" (635)	31" (787)	37" (940)
F.S. (mm)	24" (610)	30" (762)	36" (914)
V.G. (mm)	20" (508)	26" (660)	32" (812)
R.O. (mm)	24 1/2" (622)		
F.S. (mm)	24" (610)		
V.G. (mm)	20" (508)		
			
	2121	2727	3333

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

Octagon Grille and SDL models

Model
CR9

Code

WPOV Oval

R.O. (mm)	21 3/8" (535)	25" (635)
F.S. (mm)	20 3/8" (510)	24" (610)
V.G. (mm)	16 3/8" (408)	20" (508)
R.O. (mm)	33" (838)	
F.S. (mm)	32 1/2" (825)	
V.G. (mm)	28 1/2" (724)	
		
	1729	2137


R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

Oval Grille and SDL models

Code	OV4	OV6	OV8	OV5	OV7	OV9
Model						

WPFC Full circle

25" (635)	33" (838)	41" (1041)	49" (1245)	57" (1448)
24" (610)	32" (813)	40" (1016)	48" (1219)	56" (1422)
20" (508)	28" (711)	36" (914)	44" (1117)	52" (1320)
24 1/2" (622)	32 1/2" (826)	40 1/2" (1029)	48 1/2" (1232)	56 1/2" (1435)
24" (610)	32" (838)	40" (1016)	48" (1219)	56" (1422)
20" (508)	28" (711)	36" (914)	44" (1117)	52" (1320)
				
	2121	2929	3737	4545
				
				5353

R.O. (mm)	65" (1651)	73" (1854)
F.S. (mm)	64" (1626)	72" (1829)
V.G. (mm)	60" (1524)	68" (1727)
R.O. (mm)	64 1/2" (1638)	
F.S. (mm)	64" (1626)	
V.G. (mm)	60" (1524)	
		
	6161	6969

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

Full circle Grille and SDL models

Code	CR4	CR9	RW5	RW7	RW9
Model					

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

ARCHITECTURAL WINDOWS

WCQR Quarter round for casement

R.O. (mm)	25" (635)	29" (737)	33" (838)
F.S. (mm)	24" (610)	28" (711)	32" (813)
V.G. (mm)	19 7/8" (505)	23 7/8" (607)	27 7/8" (709)
R.O. (mm)	24 1/2" (622)		
F.S. (mm)	24" (610)		
V.G. (mm)	19 7/8" (505)		
			
	2121	2525	2929

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

WCQR Quarter round for casement

R.O. (mm)	22 5/8" (575)	26 5/8" (676)	30 5/8" (778)
F.S. (mm)	21 5/8" (549)	25 5/8" (651)	29 5/8" (752)
V.G. (mm)	17 1/2" (445)	21 1/2" (547)	25 1/2" (649)
R.O. (mm)	22 3/8" (562)		
F.S. (mm)	21 5/8" (549)		
V.G. (mm)	17 1/2" (445)		
			
	1818	2222	2626

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

WCEQ Extended quarter round for casement

R.O. (mm)	25" (635)	29" (737)	33" (838)
F.S. (mm)	24" (610)	28" (711)	32" (813)
V.G. (mm)	20" (508)	24" (610)	28" (711)
R.O. (mm)	48 1/2" (1232)		
F.S. (mm)	48" (1219)		
S.H. (mm)	24" (610)		
V.G. (mm)	43 7/8" (1115)		
			
	2145	2545	2945
			
	2157	2557	2957
			
	2169	2569	2969

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder height
V.G.: Visible Glass

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder height
V.G.: Visible Glass

Quarter round Grille and SDL models

Model	Model
1R	Q3R
2R	Q1S1R
3R	Q1S2R
Q1R	Q1S3R
Q2R	

Note: Q1R, Q2R, Q3R, Q1S1R, Q1S2R and Q1S3R grille and/or models can be used with extended quarter rounds, simply by adding the proper number of squares at the bottom of the window. EX:



WHEQ Extended quarter round for double hung

R.O. (mm)	22 5/8" (575)	26 5/8" (676)	30 5/8" (778)
F.S. (mm)	21 5/8" (549)	25 5/8" (651)	29 5/8" (752)
V.G. (mm)	17 5/8" (447)	21 5/8" (549)	25 5/8" (650)
R.O. (mm)	57 3/8" (1457)		
F.S. (mm)	56 7/8" (1445)		
S.H. (mm)	35 3/4" (895)		
V.G. (mm)	52 3/4" (1340)		
			
	1954	2354	2954
			
	1966	2366	2766
			
	1978	2378	2778

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder height
V.G.: Visible Glass

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder height
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com




Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.




ARCHITECTURAL WINDOWS

WCSE Segmental for casement

R.O. (mm)	47 3/4" (1213)	55 3/4" (1416)	63 3/4" (1619)	58 1/2" (1486)	70 1/2" (1791)	82 1/2" (2096)
F.S. (mm)	46 3/4" (1187)	54 3/4" (1390)	62 3/4" (1594)	57 1/2" (1460)	69 1/2" (1765)	81 1/2" (2070)
V.G. (mm)	40 1/2" (1027)	47 3/8" (1203)	54 1/4" (1379)	50 5/8" (1287)	61 1/4" (1555)	71 7/8" (1824)
Aligns with	18XX-WC21	22XX-WC21	26XX-WC21	14XX-WC31	18XX-WC31	22XX-WC31
R.O. (mm) 16 1/2" (419)						
F.S. (mm) 16" (406)						
V.G. (mm) 12" (304)						

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

WHSE Segmental for double hung







R.O. (mm)	60 1/4" (1530)	68 1/4" (1734)	76 1/4" (1937)	77 7/8" (1978)	89 7/8" (2283)
F.S. (mm)	59 1/4" (1505)	67 1/4" (1708)	75 1/4" (1911)	76 7/8" (1953)	88 7/8" (2257)
V.G. (mm)	51 1/4" (1302)	58 1/4" (1478)	65 3/8" (1654)	67 3/4" (1721)	78 3/8" (1990)
Aligns with	24XX-WH21	28XX-WH21	32XX-WH21	20XX-WH31	24XX-WH31
R.O. (mm) 16 1/2" (419)					
F.S. (mm) 16" (406)					
V.G. (mm) 12" (304)					

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

Segmental Grille and SDL models

Code	3R	5R
Model		

WCES Extended segmental for casement (transom)

R.O. (mm)	47 3/4" (1213)	55 3/4" (1416)	63 3/4" (1619)	58 1/2" (1486)	70 1/2" (1791)	82 1/2" (2096)
F.S. (mm)	46 3/4" (1187)	54 3/4" (1390)	62 3/4" (1594)	57 1/2" (1460)	69 1/2" (1765)	81 1/2" (2070)
V.G. (mm)	42 3/4" (1085)	50 3/4" (1288)	58 3/4" (1492)	53 1/2" (1358)	65 1/2" (1663)	77 1/2" (1968)
Aligns with	18XX-WC21	22XX-WC21	26XX-WC21	14XX-WC31	18XX-WC31	22XX-WC31
R.O. (mm) 16 1/2" (419)						
F.S. (mm) 20" (508)						
S.H. (mm) 17 3/4" (451)						
V.G. (mm) 12" (304)						
S.H. (mm) 16 5/8" (423)						
S.H. (mm) 11 5/8" (295)						
R.O. (mm) 24 1/2" (622)						
F.S. (mm) 24" (610)						
S.H. (mm) 13 3/4" (349)						
V.G. (mm) 20" (508)						
S.H. (mm) 15 5/8" (396)						
R.O. (mm) 26 1/2" (673)						
F.S. (mm) 26" (660)						
S.H. (mm) 18 1/4" (465)						
V.G. (mm) 22" (559)						
S.H. (mm) 11 3/8" (282)						
S.H. (mm) 15 1/8" (383)						

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder Height
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

ARCHITECTURAL WINDOWS

WCES

Extended segmental for casement (picture unit)

R.O. (mm)	31" (787)	35" (889)	43" (1092)	51" (1295)	59" (1499)
F.S. (mm)	30" (761)	34" (863)	42" (1066)	50" (1269)	58" (1472)
V.G. (mm)	26" (659)	30" (761)	38" (964)	46" (1167)	54" (1370)
R.O. (mm)	76 1/2" (1943)	64 1/2" (1638)	52 1/2" (1334)	40 1/2" (1029)	32 1/2" (826)
F.S. (mm)	76" (931)	64" (1626)	52" (1321)	40" (1016)	32" (813)
S.H. (mm)	72" (1829)	60" (1524)	48" (1219)	36" (914)	28" (711)
V.G. (mm)	72" (1829)	60" (1524)	48" (1219)	36" (914)	28" (711)
R.O. (mm)	77" (1956)	65" (1651)	53" (1346)	41" (1041)	33" (838)
F.S. (mm)	76 1/2" (1944)	64 1/2" (1640)	52 1/2" (1335)	40 1/2" (1030)	32 1/2" (827)
V.G. (mm)	72 1/2" (1842)	60 1/2" (1538)	48 1/2" (1233)	36 1/2" (928)	28 1/2" (725)
R.O. (mm)	78 3/8" (1984)	66 1/8" (1680)	54 3/8" (1375)	42 1/8" (1070)	34 3/8" (867)
F.S. (mm)	77 5/8" (1972)	65 5/8" (1667)	53 5/8" (1362)	41 5/8" (1057)	33 5/8" (854)
V.G. (mm)	73 3/8" (1870)	61 3/8" (1565)	49 3/8" (1260)	37 3/8" (955)	29 3/8" (752)
R.O. (mm)	79 1/4" (2013)	67 1/4" (1708)	55 1/4" (1403)	43 1/4" (1099)	35 1/4" (895)
F.S. (mm)	78 3/4" (1999)	66 3/4" (1694)	54 3/4" (1389)	42 3/4" (1084)	34 3/4" (881)
V.G. (mm)	74 5/8" (1897)	62 5/8" (1592)	50 5/8" (1287)	38 5/8" (982)	30 5/8" (779)
R.O. (mm)	80 3/4" (2038)	68 1/4" (1734)	56 1/4" (1429)	44 1/4" (1124)	36 1/4" (921)
F.S. (mm)	79 1/4" (2026)	67 1/4" (1721)	55 3/4" (1416)	43 3/4" (1112)	35 3/4" (908)
V.G. (mm)	75 3/4" (1924)	63 3/4" (1619)	51 3/4" (1314)	39 3/4" (1010)	31 3/4" (806)
R.O. (mm)	80 3/4" (2038)	68 1/4" (1734)	56 1/4" (1429)	44 1/4" (1124)	36 1/4" (921)
F.S. (mm)	79 1/4" (2026)	67 1/4" (1721)	55 3/4" (1416)	43 3/4" (1112)	35 3/4" (908)
V.G. (mm)	75 3/4" (1924)	63 3/4" (1619)	51 3/4" (1314)	39 3/4" (1010)	31 3/4" (806)

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder Height
V.G.: Visible Glass

WFES

Extended segmental for french door

R.O. (mm)	64 1/2" (1638)	68 1/2" (1740)	72 1/2" (1842)	76 1/2" (1943)
F.S. (mm)	63 1/2" (1613)	67 1/2" (1715)	71 1/2" (1816)	75 1/2" (1918)
V.G. (mm)	59 1/2" (1511)	63 1/2" (1612)	67 1/2" (1714)	71 1/2" (1816)
Aligns with	30XX-WF21	32XX-WF21	34XX-WF21	36XX-WF21
R.O. (mm)	18 1/2" (470)	18" (457)	9 1/2" (241)	14" (355)
F.S. (mm)	18" (457)	18" (457)	9 1/2" (241)	14" (355)
S.H. (mm)	18" (457)	18" (457)	9 1/2" (241)	14" (355)
V.G. (mm)	18" (457)	18" (457)	9 1/2" (241)	14" (355)
R.O. (mm)	18 1/2" (470)	18" (457)	9 1/2" (241)	14" (355)
F.S. (mm)	18" (457)	18" (457)	9 1/2" (241)	14" (355)
S.H. (mm)	18" (457)	18" (457)	9 1/2" (241)	14" (355)
V.G. (mm)	18" (457)	18" (457)	9 1/2" (241)	14" (355)

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder Height
V.G.: Visible Glass

Extended segmental Grille and SDL models

Code	Square	Queen anne
Model		
Code	Gothic	Radius
Model		

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

Some restrictions concerning SDL spacer bar availability may apply to glass surfaces larger than 30 sq. ft.

ARCHITECTURAL WINDOWS

WHES Extended segmental for double hung (picture unit)

R.O. (mm)	38 3/4" (972)	54 3/4" (1378)	62 1/2" (1581)	70 3/4" (1784)
F.S. (mm)	37 3/4" (948)	53 3/4" (1354)	61 1/4" (1557)	69 3/4" (1760)
V.G. (mm)	33 3/4" (846)	49 3/4" (1252)	57 1/4" (1455)	65 3/4" (1658)
R.O. (mm)	50 3/8" (1280)	52 1/2" (1334)	53 5/8" (1362)	54 5/8" (1387)
F.S. (mm)	49 7/8" (1267)	60 1/2" (1537)	61 5/8" (1565)	61 5/8" (1565)
S.H. (mm)	44 7/8" (1140)	60" (1524)	61 3/8" (1552)	61 3/8" (1553)
V.G. (mm)	45 7/8" (1165)	56" (1422)	57 1/8" (1450)	58 1/8" (1477)
R.O. (mm)	58 3/8" (1483)	60 1/2" (1537)	61 5/8" (1565)	61 5/8" (1565)
F.S. (mm)	57 7/8" (1470)	60" (1524)	61 3/8" (1552)	61 3/8" (1553)
S.H. (mm)	52 7/8" (1343)	60" (1524)	61 3/8" (1552)	61 3/8" (1553)
V.G. (mm)	53 7/8" (1368)	56" (1422)	57 1/8" (1450)	58 1/8" (1477)
R.O. (mm)	66 3/8" (1686)	68 1/2" (1740)	69 5/8" (1768)	70 5/8" (1794)
F.S. (mm)	65 7/8" (1673)	68" (1728)	69 3/8" (1755)	70 3/8" (1782)
S.H. (mm)	60 7/8" (1546)	64" (1626)	65 1/8" (1653)	66 1/8" (1680)
V.G. (mm)	61 7/8" (1571)	64" (1626)	65 1/8" (1653)	66 1/8" (1680)
R.O. (mm)	74 3/8" (1889)	76 1/2" (1943)	77 5/8" (1972)	78 5/8" (1997)
F.S. (mm)	73 7/8" (1876)	76" (1931)	77 3/8" (1958)	78 3/8" (1985)
S.H. (mm)	68 7/8" (1749)	72" (1829)	73 3/8" (1856)	74 3/8" (1883)
V.G. (mm)	69 7/8" (1774)	72" (1829)	73 3/8" (1856)	74 3/8" (1883)
R.O. (mm)	82 3/8" (2092)	84 1/2" (2146)	85 5/8" (2175)	86 5/8" (2200)
F.S. (mm)	81 7/8" (2080)	84" (2134)	85 3/8" (2161)	86 3/8" (2188)
S.H. (mm)	76 7/8" (1953)	80" (2032)	81 3/8" (2059)	82 3/8" (2086)
V.G. (mm)	77 7/8" (1978)	80" (2032)	81 3/8" (2059)	82 3/8" (2086)
R.O. (mm)	82 3/8" (2092)	84 1/2" (2146)	85 5/8" (2175)	86 5/8" (2200)
F.S. (mm)	81 7/8" (2080)	84" (2134)	85 3/8" (2161)	86 3/8" (2188)
S.H. (mm)	76 7/8" (1953)	80" (2032)	81 3/8" (2059)	82 3/8" (2086)
V.G. (mm)	77 7/8" (1978)	80" (2032)	81 3/8" (2059)	82 3/8" (2086)
R.O. (mm)	82 3/8" (2092)	84 1/2" (2146)	85 5/8" (2175)	86 5/8" (2200)
F.S. (mm)	81 7/8" (2080)	84" (2134)	85 3/8" (2161)	86 3/8" (2188)
S.H. (mm)	76 7/8" (1953)	80" (2032)	81 3/8" (2059)	82 3/8" (2086)
V.G. (mm)	77 7/8" (1978)	80" (2032)	81 3/8" (2059)	82 3/8" (2086)

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder Height
V.G.: Visible Glass

SDES Extended segmental for entry system

R.O. (mm)	52 1/2" (1333)	54 1/2" (1384)	68 1/8" (1730)	70 3/8" (1781)
F.S. (mm)	51 1/2" (1308)	53 1/2" (1359)	67 1/8" (1705)	69 3/8" (1756)
V.G. (mm)	47 1/2" (1206)	49 1/2" (1257)	63 3/8" (1603)	65 3/8" (1654)
Aligns with	SD34+SL	SD36+SL	SD34+2SL	SD36+2SL
R.O. (mm)	18 1/2" (470)	11" (278)	8 7/8" (227)	8 5/8" (220)
F.S. (mm)	18" (457)	11" (278)	8 7/8" (227)	8 5/8" (220)
S.H. (mm)	11 1/4" (285)	11" (278)	8 7/8" (227)	8 5/8" (220)
V.G. (mm)	14" (355)	11" (278)	8 7/8" (227)	8 5/8" (220)
R.O. (mm)	18 1/2" (470)	11" (278)	8 7/8" (227)	8 5/8" (220)
F.S. (mm)	18" (457)	11" (278)	8 7/8" (227)	8 5/8" (220)
S.H. (mm)	11 1/4" (285)	11" (278)	8 7/8" (227)	8 5/8" (220)
V.G. (mm)	14" (355)	11" (278)	8 7/8" (227)	8 5/8" (220)

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder Height
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

Some restrictions concerning SDL spacer bar availability may apply to glass surfaces larger than 30 sq. ft.


ARCHITECTURAL WINDOWS

WCEH Extended half round for casement

R.O. (mm)	31" (787)	35" (889)	43" (1092)	51" (1295)	59" (1499)
F.S. (mm)	30" (761)	34" (863)	42" (1066)	50" (1269)	58" (1472)
V.G. (mm)	26" (659)	30" (761)	38" (964)	46" (1167)	54" (1370)
R.O. (mm)	43 1/2" (1105)	51 1/2" (1308)	63 1/2" (1613)	75 1/2" (1918)	87 1/2" (2223)
F.S. (mm)	43" (1092)	51" (1295)	63" (1600)	75" (1905)	87" (2209)
S.H. (mm)	28" (711)	36" (914)	48" (1219)	60" (1524)	72" (1829)
V.G. (mm)	39" (990)	47" (1193)	59" (1498)	71" (1803)	83" (2107)
					
R.O. (mm)	45 1/2" (1156)	53 1/2" (1359)	65 1/2" (1664)	77 1/2" (1969)	89 1/2" (2273)
F.S. (mm)	45" (1143)	53" (1346)	65" (1652)	77" (1956)	89" (2260)
V.G. (mm)	41" (1041)	49" (1244)	61" (1549)	73" (1853)	85" (2158)
					
R.O. (mm)	49 1/2" (1257)	57 1/2" (1461)	69 1/2" (1765)	81 1/2" (2070)	93 1/2" (2375)
F.S. (mm)	49" (1244)	57" (1447)	69" (1752)	81" (2059)	93" (2362)
V.G. (mm)	45" (1142)	53" (1345)	65" (1650)	77" (1955)	89" (2260)
					
R.O. (mm)	53 1/2" (1359)	61 1/2" (1562)	73 1/2" (1867)	85 1/2" (2172)	97 1/2" (2477)
F.S. (mm)	53" (1346)	61" (1549)	73" (1854)	85" (2159)	97" (2463)
V.G. (mm)	49" (1244)	57" (1447)	69" (1752)	81" (2057)	93" (2361)
					
R.O. (mm)	57 1/2" (1461)	65 1/2" (1664)	77 1/2" (1969)	89 1/2" (2273)	
F.S. (mm)	57" (1447)	65" (1651)	77" (1956)	89" (2260)	
V.G. (mm)	53" (1345)	61" (1549)	73" (1853)	85" (2158)	
					

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder Height
V.G.: Visible Glass

Extended half round Grille and SDL models

Code	Square	Queen anne	Gothic	Radius
Model				

Note: The number of squares varies with the unit dimensions. Please contact your local Lepage representative for an exact drawing as per the dimensions and model chosen.

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

Some restrictions concerning SDL spacer bar availability may apply to glass surfaces larger than 30 sq. ft.

ARCHITECTURAL WINDOWS

WHEH Extended half round for double hung

R.O. (mm)	38 ¼" (972)				54 ¼" (1378)				62 ¾" (1581)				70 ¾" (1784)							
F.S. (mm)	37 ¾" (948)				53 ¾" (1354)				61 ¾" (1557)				69 ¾" (1760)							
V.G. (mm)	33 ¾" (846)				49 ¾" (1252)				57 ¾" (1455)				65 ¾" (1658)							
R.O. (mm)	64" (1626)				72" (1829)				80" (2032)				88" (2235)				96" (2438)			
F.S. (mm)	63 ½" (1614)				71 ½" (1817)				79 ½" (2020)				87 ½" (2223)				95 ½" (2426)			
S.H. (mm)	44 7⁄8" (1140)				52 7⁄8" (1343)				60 7⁄8" (1546)				68 7⁄8" (1749)				72" (1829)			
V.G. (mm)	59 ½" (1512)				67 ½" (1715)				75 ½" (1918)				83 ½" (2121)				91 ½" (2324)			
																				
	3461				3469				3477				3485				2793			

R.O.: Rough Opening
F.S.: Frame Size
S.H.: Shoulder Height
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.

Only certain units are available in-sash. Please contact your local Lepage representative for more details.

Many limits and restrictions can apply to these units, their grilles and SDL. Please do not hesitate to contact your local Lepage representative for more information.

Some restrictions concerning SDL spacer bar availability may apply to glass surfaces larger than 30 sq. ft.