
















PATIO DOORS

WS21 Double door

R.O. (mm)	61" (1549)	73" (1854)	97" (2464)
F.S. (mm)	60" (1524)	72" (1829)	96" (2438)
V.G. (mm)	20 3/4" (528)	26 3/4" (680)	38 3/4" (985)

	80 1/8" (2035)	83 1/8" (2112)	87 1/8" (2213)	96 1/8" (2442)	99 1/8" (2518)
	79 5/8" (2022)	82 5/8" (2099)	86 5/8" (2200)	95 5/8" (2429)	98 5/8" (2505)
	62 3/8" (1583)	65 3/8" (1659)	69 3/8" (1761)	78 3/8" (1990)	81 3/8" (2066)
					
	3076	3676	4876		
					
	3079	3679	4879		
					
	3083	3683	4883		
					
	3092	3692	4892		
					
	3095	3695	4895		
R.O. (mm)					
F.S. (mm)					
V.G. (mm)					

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com
















Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Lite pattern shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary. All glass is tempered.

PATIO DOORS

WS31 Triple door

R.O. (mm)	93 $\frac{3}{8}$ " (2372)	111 $\frac{3}{8}$ " (2829)	147 $\frac{3}{8}$ " (3743)
F.S. (mm)	92 $\frac{3}{8}$ " (2346)	110 $\frac{3}{8}$ " (2803)	146 $\frac{3}{8}$ " (3718)
V.G. (mm)	20 $\frac{3}{4}$ " (528)	26 $\frac{3}{4}$ " (680)	38 $\frac{3}{4}$ " (985)

	80 $\frac{1}{8}$ " (2035)	79 $\frac{5}{8}$ " (2022)	62 $\frac{3}{8}$ " (1583)			
						
				3076	3676	4876
	83 $\frac{1}{8}$ " (2112)	82 $\frac{5}{8}$ " (2099)	65 $\frac{3}{8}$ " (1659)			
						
				3079	3679	4879
	87 $\frac{1}{8}$ " (2213)	86 $\frac{5}{8}$ " (2200)	69 $\frac{3}{8}$ " (1761)			
						
				3083	3683	4883
	96 $\frac{1}{8}$ " (2442)	95 $\frac{5}{8}$ " (2429)	78 $\frac{3}{8}$ " (1990)			
						
				3092	3692	4892
	99 $\frac{1}{8}$ " (2518)	98 $\frac{5}{8}$ " (2505)	81 $\frac{3}{8}$ " (2066)			
						
				3095	3695	4895
R.O. (mm)						
F.S. (mm)						
V.G. (mm)						

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.

Lite pattern shown are $\frac{7}{8}$ " (22) SDL. Lite patterns for $\frac{5}{8}$ " (16) SDL, 1 $\frac{1}{4}$ " (31) SDL and other grilles may vary.
All glass is tempered.

PATIO DOORS

R.O. (mm)	118 $\frac{1}{2}$ " (3010)	142 $\frac{1}{2}$ " (3620)
F.S. (mm)	117 $\frac{1}{2}$ " (2984)	141 $\frac{1}{2}$ " (3594)
V.G. (mm)	20 $\frac{3}{4}$ " (528)	26 $\frac{3}{4}$ " (680)

3076

3676

3079

3679

3083

3683

3092

3692

3095

3695

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Lite pattern shown are $\frac{7}{8}$ " (22) SDL. Lite patterns for $\frac{5}{8}$ " (16) SDL, $1\frac{1}{4}$ " (31) SDL and other grilles may vary. All glass is tempered.