



FRENCH DOORS


















WFSL (Sidelite)

R.O. (mm)	15 3/8" (397)	17 5/8" (448)	19 5/8" (498)	21 5/8" (549)
F.S. (mm)	14 5/8" (371)	16 5/8" (422)	18 5/8" (473)	20 5/8" (524)
V.G. (mm)	8 1/8" (206)	10 1/8" (257)	12 1/8" (308)	14 1/8" (359)

R.O. (mm)	80 1/8" (2035)	83 1/8" (2113)	87 1/8" (2215)	96 1/8" (2442)	99 1/8" (2520)
F.S. (mm)	79 5/8" (2022)	82 5/8" (2099)	86 5/8" (2201)	95 5/8" (2429)	98 5/8" (2507)
V.G. (mm)	61 5/8" (1565)	64 5/8" (1642)	68 5/8" (1743)	77 5/8" (1972)	80 5/8" (2048)
	 1276	 1476	 1676	 1876	
	 1279	 1479	 1679	 1879	
	 1283	 1483	 1683	 1883	
	 1292	 1492	 1692	 1892	
	 1295	 1495	 1695	 1895	
R.O.: Rough Opening F.S.: Frame Size V.G.: Visible Glass					

WF11 (Single door)

R.O. (mm)	33 5/8" (852)	35 5/8" (903)	37 5/8" (954)	39 5/8" (1004)
F.S. (mm)	32 5/8" (827)	34 5/8" (878)	36 5/8" (929)	38 5/8" (979)
V.G. (mm)	19 3/4" (501)	21 3/4" (551)	23 3/4" (602)	25 3/4" (653)

R.O. (mm)	80 1/8" (2035)	83 1/8" (2113)	87 1/8" (2215)	96 1/8" (2442)	99 1/8" (2520)
F.S. (mm)	79 5/8" (2022)	82 5/8" (2099)	86 5/8" (2201)	95 5/8" (2429)	98 5/8" (2507)
V.G. (mm)	61 5/8" (1565)	64 5/8" (1642)	68 5/8" (1743)	77 5/8" (1972)	80 5/8" (2048)
	 3076	 3276	 3476	 3676	
	 3079	 3279	 3479	 3679	
	 3083	 3283	 3483	 3683	
	 3092	 3292	 3492	 3692	
	 3095	 3295	 3495	 3695	
R.O.: Rough Opening F.S.: Frame Size V.G.: Visible Glass					





















* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.

Lite patterns shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary.
All glass is tempered.

FRENCH DOORS

WF2A (Double door with astragal)

R.O. (mm)	64 ½" (1638)	68 ½" (1740)	72 ½" (1841)	76 ½" (1943)
F.S. (mm)	63 ½" (1613)	67 ½" (1714)	71 ½" (1816)	75 ½" (1917)
V.G. (mm)	19 ⅝" (500)	51 ⅝" (550)	23 ⅝" (601)	25 ⅝" (652)
R.O. (mm)	80 ⅛" (2035)	83 ⅜" (2113)	87 ⅜" (2215)	96 ⅜" (2442)
F.S. (mm)	79 ⅝" (2022)	82 ⅝" (2099)	86 ⅝" (2201)	95 ⅝" (2429)
V.G. (mm)	61 ⅝" (1565)	64 ⅝" (1642)	68 ⅝" (1743)	77 ⅝" (1972)
	 3076	 3276	 3476	 3676
	 3079	 3279	 3479	 3679
	 3083	 3283	 3483	 3683
	 3092	 3292	 3492	 3692
	 3095	 3295	 3495	 3695
R.O. (mm)	99 ⅛" (2520)	98 ⅝" (2507)	80 ⅝" (2048)	
F.S. (mm)				
V.G. (mm)				

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com





















Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.

Lite patterns shown are ⅞" (22) SDL. Lite patterns for ⅝" (16) SDL, 1 ¼" (31) SDL and other grilles may vary.
All glass is tempered.

FRENCH DOORS

WF3A (Triple door with astragal)

R.O. (mm)	95 $\frac{7}{8}$ " (2433)	101 $\frac{7}{8}$ " (2586)	107 $\frac{7}{8}$ " (2738)	113 $\frac{7}{8}$ " (2890)
F.S. (mm)	94 $\frac{7}{8}$ " (2408)	100 $\frac{7}{8}$ " (2560)	106 $\frac{7}{8}$ " (2713)	112 $\frac{7}{8}$ " (2865)
V.G. (mm)	19 $\frac{5}{8}$ " (500)	21 $\frac{5}{8}$ " (551)	23 $\frac{5}{8}$ " (602)	25 $\frac{5}{8}$ " (652)

	80 $\frac{1}{8}$ " (2035)	83 $\frac{1}{8}$ " (2113)	87 $\frac{1}{8}$ " (2215)	96 $\frac{1}{8}$ " (2442)	99 $\frac{1}{8}$ " (2520)
	79 $\frac{5}{8}$ " (2022)	82 $\frac{5}{8}$ " (2099)	86 $\frac{5}{8}$ " (2201)	95 $\frac{5}{8}$ " (2429)	98 $\frac{5}{8}$ " (2507)
	61 $\frac{5}{8}$ " (1565)	64 $\frac{5}{8}$ " (1642)	68 $\frac{5}{8}$ " (1743)	77 $\frac{5}{8}$ " (1972)	80 $\frac{5}{8}$ " (2048)
	 3076	 3276	 3476	 3676	
	 3079	 3279	 3479	 3679	
	 3083	 3283	 3483	 3683	
	 3092	 3292	 3492	 3692	
	 3095	 3295	 3495	 3695	
R.O. (mm)					
F.S. (mm)					
V.G. (mm)					

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com





Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.





Lite patterns shown are $\frac{7}{8}$ " (22) SDL. Lite patterns for $\frac{5}{8}$ " (16) SDL, 1 $\frac{1}{4}$ " (31) SDL and other grilles may vary.
All glass is tempered.





FRENCH DOORS





WF4A (Quadruple door with astragal)





R.O. (mm)	127 $\frac{1}{8}$ " (3229)	135 $\frac{1}{8}$ " (3432)	143 $\frac{1}{8}$ " (3635)	151 $\frac{1}{8}$ " (3838)
F.S. (mm)	126 $\frac{1}{8}$ " (3203)	134 $\frac{1}{8}$ " (3406)	142 $\frac{1}{8}$ " (3610)	150 $\frac{1}{8}$ " (3813)
V.G. (mm)	19 $\frac{5}{8}$ " (499)	21 $\frac{5}{8}$ " (550)	23 $\frac{5}{8}$ " (601)	25 $\frac{5}{8}$ " (652)
	80 $\frac{1}{8}$ " (2035)	83 $\frac{1}{8}$ " (2113)	87 $\frac{1}{8}$ " (2215)	96 $\frac{1}{8}$ " (2442)
	79 $\frac{5}{8}$ " (2022)	82 $\frac{5}{8}$ " (2099)	86 $\frac{5}{8}$ " (2201)	95 $\frac{5}{8}$ " (2429)
	61 $\frac{5}{8}$ " (1565)	64 $\frac{5}{8}$ " (1642)	68 $\frac{5}{8}$ " (1743)	77 $\frac{5}{8}$ " (1972)
	99 $\frac{1}{8}$ " (2520)	98 $\frac{5}{8}$ " (2507)	80 $\frac{5}{8}$ " (2048)	
R.O. (mm)				
F.S. (mm)				
V.G. (mm)				

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass





















* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Lite patterns shown are $\frac{7}{8}$ " (22) SDL. Lite patterns for $\frac{5}{8}$ " (16) SDL, $1\frac{1}{4}$ " (31) SDL and other grilles may vary. All glass is tempered.

TERRACE DOORS

WF2P (Double door with fixed post)

R.O. (mm)	64 $\frac{7}{8}$ " (1647)	68 $\frac{7}{8}$ " (1749)	72 $\frac{7}{8}$ " (1851)	76 $\frac{7}{8}$ " (1952)
F.S. (mm)	63 $\frac{7}{8}$ " (1622)	67 $\frac{7}{8}$ " (1724)	71 $\frac{7}{8}$ " (1826)	75 $\frac{7}{8}$ " (1927)
V.G. (mm)	19 $\frac{5}{8}$ " (499)	21 $\frac{5}{8}$ " (550)	23 $\frac{5}{8}$ " (601)	25 $\frac{5}{8}$ " (651)
R.O. (mm)	80 $\frac{1}{8}$ " (2035)	83 $\frac{1}{8}$ " (2113)	87 $\frac{1}{8}$ " (2215)	96 $\frac{1}{8}$ " (2442)
F.S. (mm)	79 $\frac{5}{8}$ " (2022)	82 $\frac{5}{8}$ " (2099)	86 $\frac{5}{8}$ " (2201)	95 $\frac{5}{8}$ " (2429)
V.G. (mm)	61 $\frac{5}{8}$ " (1565)	64 $\frac{5}{8}$ " (1642)	68 $\frac{5}{8}$ " (1743)	77 $\frac{5}{8}$ " (1972)
	 3076	 3276	 3476	 3676
	 3079	 3279	 3479	 3679
	 3083	 3283	 3483	 3683
	 3092	 3292	 3492	 3692
	 3095	 3295	 3495	 3695
R.O. (mm)	99 $\frac{1}{8}$ " (2520)	98 $\frac{5}{8}$ " (2507)	80 $\frac{5}{8}$ " (2048)	
F.S. (mm)				
V.G. (mm)				

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com





















Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.

Lite patterns shown are $\frac{7}{8}$ " (22) SDL. Lite patterns for $\frac{5}{8}$ " (16) SDL, 1 $\frac{1}{4}$ " (31) SDL and other grilles may vary.
All glass is tempered.

TERRACE DOORS

WF3P (Triple door with fixed posts)

R.O. (mm)	96 1/4" (2443)	102 1/4" (2595)	108 1/4" (2748)	114 1/4" (2900)
F.S. (mm)	95 1/4" (2418)	101 1/4" (2570)	107 1/4" (2723)	113 1/4" (2875)
V.G. (mm)	19 5/8" (500)	21 5/8" (551)	23 5/8" (601)	25 5/8" (652)

	80 1/8" (2035)	83 1/8" (2113)	87 1/8" (2215)	96 1/8" (2442)	99 1/8" (2520)
	79 5/8" (2022)	82 5/8" (2099)	86 5/8" (2201)	95 5/8" (2429)	98 5/8" (2507)
	61 5/8" (1565)	64 5/8" (1642)	68 5/8" (1743)	77 5/8" (1972)	80 5/8" (2048)
	 3076	 3276	 3476	 3676	
	 3079	 3279	 3479	 3679	
	 3083	 3283	 3483	 3683	
	 3092	 3292	 3492	 3692	
	 3095	 3295	 3495	 3695	
R.O. (mm)					
F.S. (mm)					
V.G. (mm)					

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.

Lite patterns shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary.
All glass is tempered.

TERRACE DOORS

WF4P (Quadruple door with fixed posts)

R.O. (mm)	127 1/2" (3238)	135 1/2" (3441)	143 1/2" (3645)	151 1/2" (3848)
F.S. (mm)	126 1/2" (3213)	134 1/2" (3416)	142 1/2" (3620)	150 1/2" (3823)
V.G. (mm)	19 5/8" (499)	21 5/8" (550)	23 5/8" (601)	25 5/8" (652)
	80 1/8" (2035)	83 3/8" (2113)	87 1/8" (2215)	96 1/8" (2442)
	79 5/8" (2022)	82 5/8" (2099)	86 5/8" (2201)	95 5/8" (2429)
	61 5/8" (1565)	64 5/8" (1642)	68 5/8" (1743)	77 5/8" (1972)
	3076	3276	3476	3676
	3079	3279	3479	3679
	3083	3283	3483	3683
	3092	3292	3492	3692
	3095	3295	3495	3695
R.O. (mm)	99 1/8" (2520)	98 5/8" (2507)	80 5/8" (2048)	
F.S. (mm)				
V.G. (mm)				

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com


Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options. For masonry openings, please contact your local Lepage representative.

Lite patterns shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary. All glass is tempered.

FRENCH DOORS - VENTING CONFIGURATIONS

INSWING



Single door





OUTSWING





Double door



Triple door



Quadruple door




French Doors are available with sliding or hinged screens.
Please contact your local Lepage distributor for possible screen configurations and combinaisons.

TERRACE DOORS - VENTING CONFIGURATIONS

INSWING



Single door





OUTSWING





Double door



Triple door



Quadruple door



Terrace Doors are available with sliding or hinged screens.
Please contact your local Lepage distributor for possible screen configurations and combinaisons.