



Manu Data

Outswing Bi-Fold Door – Aluminum Clad

Frame:

- Pine, red grandis or mahogany.
- Aluminium clad extruded 0.060", 1.5mm thick.
- Thickness 1 ¼" (32mm).
- Depth 6 9/16" (167mm).
- Bronze aluminum anodized sill with mahogany wood on the interior. (Aluminum clear anodized also available).
- Bronze aluminum anodized top track. (Aluminum clear anodized also available).

Panel:

- Pine, red grandis or mahogany
- Exterior aluminum clad extruded 0.100" (2.5mm) thick.
- Colonial or contemporary
- 2 ¼" (57mm) panel.
- Stiles and top rail width: 5"; 3 5/8"
- Bottom rail 9", 5" or 3 5/8"
- Choice of flat or raised panel

Interior finish:

- Natural, primed, first coat, Lepage stain or paint over 50 colors

Exterior finish:

- Lepage paint over 50 colors

Hardware:

- Hinges colors: PVD Bronze, Stainless Steel.
- Flushbolts Colors: Bronze, brushed aluminium (to match Stainless Steel).
- Stainless steel multi-point lock with Contemporary or Traditional handles: satin chrome, satin nickel, polish brass, antique brass, antique nickel, black or oil rubbed bronze.

Weather-strip

- Black

Insulated glass tempered:

- Double glaze ¾" (19 mm)
- Triple glaze 1 ¼" (32mm)
- "Technoform" spacer, bronze, white, black or grey.
- Argon

Glass available:

- Clear, grey, bronze, pinhead, glue-chip
- Low-e: Energy advantage, 272, 366, I89
- Laminated

Grilles:

- Internal georgian $\frac{3}{4}$ " , 1" or 1 $\frac{3}{4}$ "
- Internal flat $\frac{5}{16}$ " , $\frac{5}{8}$ " , $\frac{3}{4}$ " or 1"
- Internal tubular: white, brass or pewter

Simulated Divided Lites (SDL):

- $\frac{5}{8}$ " , $\frac{7}{8}$ " , 1 $\frac{1}{4}$ " or 1 $\frac{3}{4}$ "
- Spacer bars bronze, grey, white or black

True Divided Lites (TDL):

- TDL 5" , 3 $\frac{5}{8}$ "

Casing:

- 908
- 2 $\frac{3}{4}$ " Flat casing
- 3 $\frac{1}{2}$ " Flat casing
- 3 $\frac{15}{16}$ " Backbend (D-090)
- Nailing fin

Interior Jamb Extension:

- Finish and wood species same as interior frame 1/8" min and 6" max

Minimums and Maximums:

Maximum Width: 288" (7315mm)

Maximum Height: 120" (3048mm)




Minimum Height: 72 $\frac{3}{4}$ " (1848mm)

Maximum Panel Weight: 250 Lbs (113Kg)

Maximum Panel Width: 47 $\frac{1}{4}$ " (1200mm)

Minimum Panel Width: 23 $\frac{3}{4}$ " (603mm)

Configurations available:



For more information, please visit our web site at www.lepagemillwork.com