






















DOUBLE HUNG XL WINDOWS

WHXL11

R.O. (mm)	22 5/8" (575)	26 5/8" (676)	30 5/8" (778)	32 5/8" (829)	34 5/8" (875)	36 5/8" (930)	38 5/8" (981)	42 5/8" (1083)
F.S. (mm)	21 5/8" (549)	25 5/8" (651)	29 5/8" (752)	31 5/8" (803)	33 5/8" (854)	35 5/8" (905)	37 5/8" (956)	41 5/8" (1057)
V.G. XL-100 & 200 (mm)	15" (382)	19" (484)	23" (585)	25" (636)	27" (687)	29" (738)	31" (789)	35" (890)
V.G. XL-300 (mm)	13 1/2" (343)	17 1/2" (445)	21 1/2" (546)	23 1/2" (597)	25 1/2" (648)	27 1/2" (699)	29 1/2" (750)	33 1/2" (851)
R.O. (mm)	77 3/8" (1965)	76 7/8" (1953)	73 3/8" (1864)	69 3/8" (1762)	65 3/8" (1660)	61 3/8" (1559)	57 3/8" (1458)	53 3/8" (1356)
F.S. (mm)	76 7/8" (1953)	72 7/8" (1851)	72 7/8" (1851)	68 7/8" (1749)	64 7/8" (1648)	60 7/8" (1546)	56 7/8" (1445)	52 7/8" (1343)
V.G. XL-100 & 200 (mm)	33 1/2" (849)	31 3/8" (798)	31 3/8" (798)	29 3/8" (747)	27 3/8" (697)	25 3/8" (646)	23 1/2" (595)	21 3/8" (544)
V.G. XL-300 (mm)	32 3/8" (822)	30 3/8" (771)	30 3/8" (771)	28 3/8" (720)	26 3/8" (669)	24 3/8" (618)	22 3/8" (568)	20 3/8" (517)
								
	1433*	1833*	2233*	2433*	2633*	2833*	3033*	3433*
								
	1431	1831*	2231*	2431*	2631*	2831*	3031*	3431*
								
	1427	1827*	2227*	2427*	2627*	2827*	3027*	3427*
								
	1425	1825	2225*	2425*	2625*	2825*	3025*	3425*
								
	1423	1823	2223*	2423*	2623*	2823*	3023*	3423*
								
	1421	1821	2221	2421	2621*	2821*	3021*	3421*
								
	1419	1819	2219	2419	2619	2819*	3019*	3419*
								
	1417	1817	2217	2417	2617	2817	3017	3417*
								
	1415	1815	2215	2415	2615	2815	3015	3415
								
	1413	1813	2213	2413	2613	2813	3013	3413

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Meets Canadian EGRESS requirements
** Meets U.S. EGRESS requirements
























Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.
Lite patterns shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary.

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

DOUBLE HUNG XL WINDOWS

WHXL11

46 $\frac{5}{8}$ " (1184)	49 $\frac{1}{4}$ " (1251)	51 $\frac{1}{4}$ " (1301)	53 $\frac{1}{4}$ " (1352)	57 $\frac{1}{8}$ " (1451)	R.O. (mm)
45 $\frac{5}{8}$ " (1159)	48 $\frac{1}{4}$ " (1226)	50 $\frac{1}{4}$ " (1276)	52 $\frac{1}{4}$ " (1327)	56 $\frac{1}{8}$ " (1426)	F.S. (mm)
38 $\frac{1}{8}$ " (967)	41 $\frac{3}{4}$ " (1059)	43 $\frac{5}{8}$ " (1109)	45 $\frac{5}{8}$ " (1160)	49 $\frac{5}{8}$ " (1259)	V.G. XL-100 & 200 (mm)
37 $\frac{1}{2}$ " (953)	40 $\frac{1}{8}$ " (1020)	42 $\frac{3}{8}$ " (1070)	44 $\frac{1}{8}$ " (1121)	48" (1220)	V.G. XL-300 (mm)

	3813		4113		4313		4513		4913						
	3815		4115		4315		4515		4915						
	3817*		4117*		4317*		4517*		4917*						
	3819*		4119*		4319*		4519*		4919*						
	3821*		4121*		4321*		4521*		4921*						
	3823*		4123*		4323*		4523*		4923*						
	3825*		4125*		4325*		4525*		4925*						
	3827**		4127**		4327**		4527**		4927**						
	3829**		4129**		4329**		4529**		4929**						
	3831**		4131**		4331**		4531**		4931**						
	3833**		4133**		4333**		4533**		4933**						
				R.O. (mm)	77 3/4" (1965)	73 3/8" (1864)	69 3/4" (1762)	65 3/8" (1660)	61 3/8" (1559)	57 3/8" (1458)	53 3/8" (1356)	49 3/8" (1254)	45 3/8" (1153)	41 3/8" (1051)	37 3/8" (949)
				F.S. (mm)	76 7/8" (1953)	72 7/8" (1851)	68 7/8" (1749)	64 7/8" (1648)	60 7/8" (1546)	56 7/8" (1445)	52 7/8" (1343)	48 7/8" (1241)	44 7/8" (1140)	40 7/8" (1038)	36 7/8" (937)
				V.G. XL-100 & 200 (mm)	33 1/2" (849)	31 3/4" (798)	29 3/8" (747)	27 3/8" (697)	25 3/8" (646)	23 1/2" (595)	21 3/8" (544)	19 3/8" (493)	17 3/8" (443)	15 3/8" (392)	13 1/2" (341)
				V.G. XL-300 (mm)	32 3/8" (822)	30 3/8" (771)	28 3/8" (720)	26 3/8" (669)	24 3/8" (618)	22 3/8" (568)	20 3/8" (517)	18 3/8" (466)	16 3/8" (415)	14 3/8" (364)	12 3/8" (314)
Meets Canadian EGRESS requirements				R.O.: Rough Opening											
Meets U.S. EGRESS requirements				F.S.: Frame Size											
				V.G.: Visible Glass											

* Meets Canadian EGRESS requirements
** Meets U.S. EGRESS requirements


R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.
Lite patterns shown are $\frac{7}{8}$ " (22) SDL. Lite patterns for $\frac{5}{8}$ " (16) SDL, $1\frac{1}{4}$ " (31) SDL and other grilles may vary.

Multiple assemblies

All these units are available in 2-wide and 3-wide assemblies (calculate the total width by multiplying the width of a module by 2 or 3).


Determine rough openings as indicated below.



MULTIPLE ASSEMBLY ROUGH OPENING	
Width	Height
Add frame width PLUS 1"	Add frame height PLUS ½"

Cottage-Style Units








Double hung units are available in Cottage-Style configurations. Please contact your local Lepage representative for restrictions and lite cut configurations.



* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

DOUBLE HUNG XL WINDOWS

WHXL11

R.O. (mm)	22 5/8" (575)	26 5/8" (676)	30 5/8" (778)	32 5/8" (829)	34 5/8" (875)	36 5/8" (930)	38 5/8" (981)	42 5/8" (1083)
F.S. (mm)	21 5/8" (549)	25 5/8" (651)	29 5/8" (752)	31 5/8" (803)	33 5/8" (854)	35 5/8" (905)	37 5/8" (956)	41 5/8" (1057)
V.G. XL-100 & 200 (mm)	15" (382)	19" (484)	23" (585)	25" (636)	27" (687)	29" (738)	31" (789)	35" (890)
V.G. XL-300 (mm)	13 1/2" (343)	17 1/2" (445)	21 1/2" (546)	23 1/2" (597)	25 1/2" (648)	27 1/2" (699)	29 1/2" (750)	33 1/2" (851)
R.O. (mm)	81 3/8" (2067)	82 1/2" (2274)	97 3/8" (2474)	105 3/8" (2677)	113 1/2" (2883)			
F.S. (mm)	80 7/8" (2054)	89" (2261)	96 7/8" (2461)	104 7/8" (2664)	113" (2870)			
V.G. XL-100 & 200 (mm)	35 3/8" (900)	39 1/2" (1003)	43 1/2" (1103)	47 3/8" (1205)	51 1/2" (1308)			
V.G. XL-300 (mm)	34 3/8" (872)	38 3/8" (976)	42 3/8" (1076)	46 3/8" (1177)	50 3/8" (1280)			
	 1435 *	 1835 *	 2235 *	 2435 **	 2635 **	 2835 **	 3035 **	 3435 **
	 1439 *	 1839 *	 2239 **	 2439 **	 2639 **	 2839 **	 3039 **	 3439 **
	 1443 *	 1843 **	 2243 **	 2443 **	 2643 **	 2843 **	 3043 **	 3443 **
	 1447 *	 1847 **	 2247 **	 2447 **	 2647 **	 2847 **	 3047 **	 3447 **
	 1451 *	 1851 **	 2251 **	 2451 **	 2651 **	 2851 **	 3051 **	 3451 **

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

* Meets Canadian EGRESS requirements
** Meets U.S. EGRESS requirements


Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.
Lite patterns shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary.

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com


DOUBLE HUNG XL WINDOWS

WHXL11


46 $\frac{5}{8}$ " (1184)	49 $\frac{3}{4}$ " (1251)	51 $\frac{1}{4}$ " (1301)	53 $\frac{1}{4}$ " (1352)	57 $\frac{1}{8}$ " (1451)	R.O. (mm)
45 $\frac{5}{8}$ " (1159)	48 $\frac{1}{4}$ " (1226)	50 $\frac{3}{4}$ " (1276)	52 $\frac{1}{4}$ " (1327)	56 $\frac{1}{8}$ " (1426)	F.S. (mm)
38 $\frac{1}{8}$ " (967)	41 $\frac{3}{4}$ " (1059)	43 $\frac{5}{8}$ " (1109)	45 $\frac{5}{8}$ " (1160)	49 $\frac{5}{8}$ " (1259)	V.G. XL-100 & 200 (mm)
37 $\frac{1}{2}$ " (953)	40 $\frac{1}{8}$ " (1020)	42 $\frac{1}{8}$ " (1070)	44 $\frac{1}{8}$ " (1121)	48" (1220)	V.G. XL-300 (mm)




3835**




4135**




4335**




4535**




4935**




3839**




4139**




4339**




4539**




4939**




3843**




4143**




4343**




4543**




4943**




3847**




4147**




4347**




4547**




4947**




3851**




4151**



4351**



4551**



4951**

* Meets Canadian EGRESS requirements
** Meets U.S. EGRESS requirements

R.O.: Rough Opening
F.S.: Frame Size
V.G.: Visible Glass

R.O. (mm)	113 $\frac{1}{2}$ " (2883)	105 $\frac{3}{8}$ " (2677)	97 $\frac{3}{8}$ " (2474)	82 $\frac{1}{2}$ " (2274)	81 $\frac{3}{8}$ " (2067)
F.S. (mm)	113" (2870)	104 $\frac{7}{8}$ " (2664)	96 $\frac{7}{8}$ " (2461)	89" (2261)	80 $\frac{7}{8}$ " (2054)
V.G. XL-100 & 200 (mm)	51 $\frac{1}{2}$ " (1308)	47 $\frac{3}{8}$ " (1205)	43 $\frac{1}{2}$ " (1103)	39 $\frac{1}{2}$ " (1003)	35 $\frac{3}{8}$ " (900)
V.G. XL-300 (mm)	50 $\frac{3}{8}$ " (1280)	46 $\frac{3}{8}$ " (1177)	42 $\frac{3}{8}$ " (1076)	38 $\frac{3}{8}$ " (976)	34 $\frac{3}{8}$ " (872)






































Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.
For masonry openings, please contact your local Lepage representative.
Lite patterns shown are $\frac{7}{8}$ " (22) SDL. Lite patterns for $\frac{5}{8}$ " (16) SDL, 1 $\frac{1}{4}$ " (31) SDL and other grilles may vary.

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

DOUBLE HUNG XL WINDOWS

WHXL21

R.O. (mm)	59 7/8" (1520)	83 7/8" (2130)	95 7/8" (2435)	107 7/8" (2740)
F.S. (mm)	58 7/8" (1495)	82 7/8" (2105)	94 7/8" (2410)	106 7/8" (2715)
W.F. (mm)	21 5/8" (549)	29 5/8" (752)	33 5/8" (854)	37 5/8" (956)
V.G.F. XL-100 & 200 (mm)	15" (382)	23" (585)	27" (687)	31" (789)
V.G.P. XL-100 & 200 (mm)	30 5/8" (779)	46 3/4" (1186)	54 5/8" (1389)	62 5/8" (1592)
V.G.F. XL-300 (mm)	13 1/2" (343)	21 1/2" (546)	25 1/2" (648)	29 1/2" (750)
V.G.P. XL-300 (mm)	29 1/8" (740)	45 1/8" (1147)	53 1/8" (1350)	61 1/8" (1553)

R.O. (mm)	73 3/8" (1864)	69 3/8" (1762)	65 3/8" (1660)	61 3/8" (1559)	57 3/8" (1458)	53 3/8" (1356)	49 3/8" (1254)	45 3/8" (1153)	41 3/8" (1051)	37 3/8" (949)
F.S. (mm)	72 7/8" (1851)	68 7/8" (1749)	64 7/8" (1648)	60 7/8" (1546)	56 7/8" (1445)	52 7/8" (1343)	48 7/8" (1241)	44 7/8" (1140)	40 7/8" (1038)	36 7/8" (937)
V.G.F. XL-100 & 200 (mm)	31 3/8" (798)	29 3/8" (747)	27 3/8" (697)	25 3/8" (646)	23 1/2" (595)	21 3/8" (544)	19 3/8" (493)	17 3/8" (443)	15 3/8" (392)	13 1/2" (341)
V.G.P. XL-100 & 200 (mm)	64 7/8" (1642)	60 5/8" (1540)	56 5/8" (1439)	52 5/8" (1337)	48 5/8" (1236)	44 5/8" (1134)	40 5/8" (1032)	36 5/8" (931)	32 5/8" (829)	28 5/8" (728)
V.G.F. XL-300 (mm)	30 3/8" (771)	28 3/8" (720)	26 3/8" (669)	24 3/8" (618)	22 3/8" (568)	20 3/8" (517)	18 3/8" (466)	16 3/8" (415)	14 3/8" (364)	12 3/8" (314)
V.G.P. XL-300 (mm)	63 3/8" (1609)	59 3/8" (1507)	55 3/8" (1406)	51 3/8" (1304)	47 3/8" (1203)	43 3/8" (1101)	39 3/8" (999)	35 3/8" (898)	31 3/8" (796)	27 3/8" (695)
										
	1431	1429	1427	1425	1423	1421	1419	1417	1415	1413
										
	2231*	2229*	2227	2225	2223	2221	2219	2217	2215	2213
										
	2631*	2629*	2627*	2625*	2623*	2621	2619	2617	2615	2613
										
	3031**	3029**	3027**	3025*	3023*	3021*	3019	3017	3015	3013

R.O.: Rough Opening
F.S.: Frame Size
W.F.: Width of Flanker

V.G.F.: Visible Glass of Flanker
V.G.P.: Visible Glass of Picture Unit

* Meets Canadian EGRESS requirements
** Meets U.S. EGRESS requirements

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.

























Lite patterns shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary. Some restrictions concerning SDL spacer bar availability may apply to glass surfaces larger than 30 sq.ft.

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

DOUBLE HUNG XL WINDOWS

WHXL21

R.O. (mm)	59 7/8" (1520)	83 7/8" (2130)	95 7/8" (2435)	107 7/8" (2740)
F.S. (mm)	58 7/8" (1495)	82 7/8" (2105)	94 7/8" (2410)	106 7/8" (2715)
W.F. (mm)	21 5/8" (549)	29 5/8" (752)	33 5/8" (854)	37 5/8" (956)
V.G.F. XL-100 & 200 (mm)	15" (382)	23" (585)	27" (687)	31" (789)
V.G.P. XL-100 & 200 (mm)	30 5/8" (779)	46 3/4" (1186)	54 5/8" (1389)	62 5/8" (1592)
V.G.F. XL-300 (mm)	13 1/2" (343)	21 1/2" (546)	25 1/2" (648)	29 1/2" (750)
V.G.P. XL-300 (mm)	29 1/8" (740)	45 1/8" (1147)	53 1/8" (1350)	61 1/8" (1553)

R.O. (mm)	113 1/2" (2883)	105 3/8" (2677)	97 3/8" (2474)	82 1/2" (2274)	81 3/8" (2067)	77 3/8" (1965)
F.S. (mm)	113" (2870)	104 7/8" (2664)	96 7/8" (2461)	89" (2261)	80 7/8" (2054)	76 7/8" (1953)
V.G.F. XL-100 & 200 (mm)	51 1/2" (1308)	47 3/8" (1205)	43 1/2" (1103)	39 1/2" (1003)	35 3/8" (900)	33 1/2" (849)
V.G.P. XL-100 & 200 (mm)	104 3/4" (2661)	96 5/8" (2455)	88 5/8" (2252)	80 3/4" (2052)	72 5/8" (1845)	68 5/8" (1744)
V.G.F. XL-300 (mm)	50 3/8" (1280)	46 3/8" (1177)	42 3/8" (1076)	38 3/8" (976)	34 3/8" (872)	32 3/8" (822)
V.G.P. XL-300 (mm)	103 1/2" (2628)	95 3/8" (2422)	87 3/8" (2219)	79 1/2" (2019)	71 3/8" (1812)	67 3/8" (1711)
						
	1451**	2251**	2651**	3051**		
						
	1447*	2247**	2647**	3047**		
						
	1443*	2243**	2643**	3043**		
						
	1439*	2239**	2639**	3039**		
						
	1435*	2235*	2635**	3035**		
						
	1433	2233*	2633*	3033**		

R.O.: Rough Opening
F.S.: Frame Size
W.F.: Width of Flanker

V.G.F.: Visible Glass of Flanker
V.G.P.: Visible Glass of Picture Unit

* Meets Canadian EGRESS requirements
** Meets U.S. EGRESS requirements

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.









































Lite patterns shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary. Some restrictions concerning SDL spacer bar availability may apply to glass surfaces larger than 30 sq.ft.

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

DOUBLE HUNG XL WINDOWS

WHXL31

R.O. (mm)	83 ½" (2121)	113 ½" (2883)	129 ½" (3289)	145 ½" (3695)
F.S. (mm)	82 ½" (2096)	112 ½" (2858)	128 ½" (3264)	144 ½" (3670)
W.F. (mm)	21 ⅝" (549)	29 ⅝" (752)	33 ⅝" (854)	37 ⅝" (956)
V.G.F. XL-100 & 200 (mm)	15" (382)	23" (585)	27" (687)	31" (789)
V.G.P. XL-100 & 200 (mm)	32 ¾" (831)	46 ¾" (1187)	54 ⅝" (1389)	62 ⅝" (1591)
V.G.F. XL-300 (mm)	13 ½" (343)	21 ½" (546)	25 ½" (648)	29 ½" (750)
V.G.P. XL-300 (mm)	31 ⅞" (792)	45 ¼" (1148)	53 ⅞" (1350)	61 ⅞" (1552)

R.O. (mm)	73 ⅜" (1864)	69 ⅜" (1762)	65 ⅜" (1660)	61 ⅜" (1559)	57 ⅜" (1458)	53 ⅜" (1356)	49 ⅜" (1254)	45 ⅜" (1153)	41 ⅜" (1051)	37 ⅜" (949)
F.S. (mm)	72 ⅜" (1851)	68 ⅜" (1749)	64 ⅜" (1648)	60 ⅜" (1546)	56 ⅜" (1445)	52 ⅜" (1343)	48 ⅜" (1241)	44 ⅜" (1140)	40 ⅜" (1038)	36 ⅜" (937)
V.G.F. XL-100 & 200 (mm)	31 ⅜" (798)	29 ⅜" (747)	27 ⅜" (697)	25 ⅜" (646)	23 ⅜" (595)	21 ⅜" (544)	19 ⅜" (493)	17 ⅜" (443)	15 ⅜" (392)	13 ⅜" (341)
V.G.P. XL-100 & 200 (mm)	64 ⅜" (1642)	60 ⅜" (1540)	56 ⅜" (1439)	52 ⅜" (1337)	48 ⅜" (1236)	44 ⅜" (1134)	40 ⅜" (1032)	36 ⅜" (931)	32 ⅜" (829)	28 ⅜" (728)
V.G.F. XL-300 (mm)	30 ⅜" (771)	28 ⅜" (720)	26 ⅜" (669)	24 ⅜" (618)	22 ⅜" (568)	20 ⅜" (517)	18 ⅜" (466)	16 ⅜" (415)	14 ⅜" (364)	12 ⅜" (314)
V.G.P. XL-300 (mm)	63 ⅜" (1609)	59 ⅜" (1507)	55 ⅜" (1406)	51 ⅜" (1304)	47 ⅜" (1203)	43 ⅜" (1101)	39 ⅜" (999)	35 ⅜" (898)	31 ⅜" (796)	27 ⅜" (695)
										
	1431	1429	1427	1425	1423	1421	1419	1417	1415	1413
										
	2231*	2229*	2227*	2225	2223	2221	2219	2217	2215	2213
										
	2631*	2629*	2627*	2625*	2623*	2621	2619	2617	2615	2613
										
	3031**	3029**	3027*	3025*	3023*	3021*	3019	3017	3015	3013

R.O.: Rough Opening
F.S.: Frame Size
W.F.: Width of Flanker

V.G.F.: Visible Glass of Flanker
V.G.P.: Visible Glass of Picture Unit

* Meets Canadian EGRESS requirements
** Meets U.S. EGRESS requirements

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.

Lite patterns shown are ⅜" (22) SDL. Lite patterns for ⅝" (16) SDL, 1 ¼" (31) SDL and other grilles may vary. Some restrictions concerning SDL spacer bar availability may apply to glass surfaces larger than 30 sq.ft.

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com

DOUBLE HUNG XL WINDOWS

WHXL31

R.O. (mm)	83 1/2" (2121)	113 1/2" (2883)	129 1/2" (3289)	145 1/2" (3695)
F.S. (mm)	82 1/2" (2096)	112 1/2" (2858)	128 1/2" (3264)	144 1/2" (3670)
W.F. (mm)	21 5/8" (549)	29 5/8" (752)	33 5/8" (854)	37 5/8" (956)
V.G.F. XL-100 & 200 (mm)	15" (382)	23" (585)	27" (687)	31" (789)
V.G.P. XL-100 & 200 (mm)	32 3/4" (831)	46 3/4" (1187)	54 5/8" (1389)	62 5/8" (1591)
V.G.F. XL-300 (mm)	13 1/2" (343)	21 1/2" (546)	25 1/2" (648)	29 1/2" (750)
V.G.P. XL-300 (mm)	31 1/8" (792)	45 1/4" (1148)	53 1/8" (1350)	61 1/8" (1552)

R.O. (mm)	113 1/2" (2883)	105 3/8" (2677)	97 3/8" (2474)	82 1/2" (2274)	81 3/8" (2067)	77 3/8" (1965)
F.S. (mm)	113" (2870)	104 7/8" (2664)	96 7/8" (2461)	89" (2261)	80 7/8" (2054)	76 7/8" (1953)
V.G.F. XL-100 & 200 (mm)	51 1/2" (1308)	47 3/8" (1205)	43 1/2" (1103)	39 1/2" (1003)	35 3/8" (900)	33 1/2" (849)
V.G.P. XL-100 & 200 (mm)	104 3/4" (2661)	96 5/8" (2455)	88 5/8" (2252)	80 3/4" (2052)	72 5/8" (1845)	68 5/8" (1744)
V.G.F. XL-300 (mm)	50 3/8" (1280)	46 3/8" (1177)	42 3/8" (1076)	38 3/8" (976)	34 3/8" (872)	32 3/8" (822)
V.G.P. XL-300 (mm)	103 1/2" (2628)	95 3/8" (2422)	87 3/8" (2219)	79 1/2" (2019)	71 3/8" (1812)	67 3/8" (1711)
	1451*	1447*	1443*	1439*	1435*	1433
	2251**	2247**	2243**	2239**	2235*	2233*
	2251**	2247**	2243**	2239**	2235**	2233**
	3051**	3047**	3043**	3039**	3035**	3033**

R.O.: Rough Opening
F.S.: Frame Size
W.F.: Width of Flanker

V.G.F.: Visible Glass of Flanker
V.G.P.: Visible Glass of Picture Unit

* Meets Canadian EGRESS requirements
** Meets U.S. EGRESS requirements

Custom sizes are available on request. Minimum and maximum sizes applicable may vary depending on features and options.

For masonry openings, please contact your local Lepage representative.

Lite patterns shown are 7/8" (22) SDL. Lite patterns for 5/8" (16) SDL, 1 1/4" (31) SDL and other grilles may vary. Some restrictions concerning SDL spacer bar availability may apply to glass surfaces larger than 30 sq.ft.

* Please visit our web site for the energy performance of these products at www.lepagemillwork.com