

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016575
DATE: 04/01/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Lepage
CODE: 422-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Lepage Millwork 141 Chemin des Raymond Riviere-du-Loup, Quebec G5R 4L9	Series "Push Out Casement" Wood Casement Window Configuration: X Glazing: IG-Ext. Lamine-4mm Annealed Glass/0.090" Sentry Glass Plus Interlayer by Dupont/4mm Annealed Glass/Int. 4mm Annealed Glass Frame: W-914mm(36") H-1829mm(72") Vent: W-848mm(33.38") H-1759mm(69.25") DLO: W-749mm(29.50") H-1661mm(65.38")

SPECIFICATION	PRODUCT RATING
ASTM E1886-19 ASTM E1996-20	Design Pressure: ± 2400 Pa (± 50 psf) Wind Zone 3 - Missile Level D

Product Tested By: Molimo, LLC
Report No: 29937.01-106-11
Expiration Date: **January 31, 2029**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023